

Bhagat Phool Singh Mahila Vishwavidyalaya Department of Engineering Cell

KhanpurKalan (Sonepat), Haryana-131305

Office No. 01263-283007,283530, Fax No. 01263-283779, www.bpswomenuniversity.ac.in

NOTICE INVITING TENDER

Sealed tenders as per schedule/DNIT attached are hereby Re-invited on behalf of Registrar in the office of Registrar at BPSMV Khanpur Kalan through Registered /speed post /by hand from the eligible contractor and L&C Societies for below mentioned work. If the date on which the tenders are to be received is declared holiday then the tender will be received on the next working day. The tender shall be opened on the same day in the presence of the tenderer or the authorized representative/agents who may like to be present at that time:-

Sr. No.	Name of Work	App. Cost. (In Thousand)	Time Limit	Date & Receiving	Time for of Tender	Date & Time for opening of Tender	
				Date	Time	Date	Time
1.	Tender for shifting the water supply connection in front of Hostel no. 3 main water supply line to Hostel no. 5 at B.P.S.M.V. Khanpur Kalan. (Reinvited)	1,30,500	One month	16.09.25	1:00 pm	16.09.25	3:00 pm

- 1. The rates of all HSR items should be quoted on single percentage rate basis and N.S. item on item rate basis.
- 2. The limited tender/quotation may be sent in favour of Registrar, BPSMV Khanpur Kalan, in sealed envelope through Registered Post/Speed Post with mentioning tender name in bold letter on the envelop.
- 3. Engineering –In-Charge is competent to increase/decrease the quantity of work.
- 4. Central/ State taxes will be deducted as applicable from time to time.
- 5. The supply shall be taken in the University as per specifications given in DNIT.
- 6. No extra payment will be done.

SDE (Civil)

Endst. No./ BPSMV /Engg./25/

Dated

A copy of the above is forwarded to the following for information and necessary action:-

1. Notice Board.

SDE (Civil)

<u>DETAILED NOMINCLATURE</u>.

NAME OF WORK: Tender for shifting the water supply connection in front of Hostel no. 3 main water supply line to Hostel no. 5 at B.P.S.M.V. Khanpur Kalan.

Approx. Cost : Rs. 1,30,500/-

<u>Date of Tender</u>: 16.09.2025

Sr. No.	Description of items	Qty.	Unit	Rate to be quoted by the agency in words and in figures, FOR including VAT & taxes.		
				In Figure	In Word	
1.	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. 25 mm nominal outer dia Pipes. (HSR 22.86.3)	244	Mtr.			
2.	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. 22 mm nominal outer dia Pipes. (HSR 22.86.2)	19	Mtr.			
3.	Providing and fixing C.P. brass angle valve for basin mixer and geyser points of approved quality conforming to IS:8931 22.108.1 15mm nominal bore HSR - 22.108.1	2	Each			
4.	Providing and fixing C.P. brass long body bib cock of approved quality conforming to IS standards and weighing not less than 690 gms. 15 mm nominal bore (HSR-22.106.1)	2	Each			
5	Providing and fixing wash basin with C.I. brackets, 15 mm dia CP Brass single hole basin mixer of approved quality and make, including painting of fittings and brackets, cutting and making good the walls wherever required: White vitreous chinaware Wash basin size 550x400 mm with a 15 mm CP Brass single hole basin mixer(HSR-22.2.1)	1	Each			
6	Providing and fixing water closet squatting pan (Indian type W.C. pan) with 100 mm sand cast Iron P or S trap, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever) conforming to IS: 7231, with all fittings and	1	Each			

	fixtures complete, including cutting and making good the walls and floors wherever required:			
	White vitreous chinaware Orissa pattern W.C. pan of 580x440 mm with integral type foot rests (HSR-22.22.1)			
7	CPVC M.T 1x 3/4" (Finolex) (NS)	7	Each	
8	CPVC F.T 1x 3/4" (Finolex) (NS)	4	Each	
9	CPVC elbow 1" (Finolex) (NS)	30	Each	
10	CPVC Socket 1" (Finolex) (NS)	160	Each	
11	CPVC Solvent (Heavy Duty) (NS)	500	Gm.	
12	CPVC elbow 3/4" (Finolex) (NS)	10	Each	
13	CPVC Socket 3/4" (Finolex) (NS)	8	Each	
14	CPVC Tee 3/4" (Finolex) (NS)	3	Each	
15	CPVC Tee (Brass) 3/4" X 1/2" (Finolex) (NS)	3	Each	
16	CPVC Reducer 1X 3/4" (Finolex) (NS)	2	Each	
17	Connection Pipe (Heavy Duty) (NS)	2	Each	
18	CPVC M.T 1/2" x 3/4" (Finolex) (NS)	3	Each	
19	CPVC F.T 1/2" x 3/4" (Finolex) (NS)	3	Each	
20	Wash basin Jali 1 1/4" (Heavy Duty) (NS)	1	Each	
21	CPVC Waste pipe (Heavy Duty) (NS)	1	Each	
22	Pillor Cock (Volga) (NS)	1	Each	
23	Pipe Hook(Heavy Duty) (NS)	500	Gm.	
24	Fass nutt (Heavy Duty) (NS)	4	Each	
25	G.I Plus 3/4" (Heavy Duty) (NS)	4	Each	
26	Providing and fixing panelled or panelled and glazed shutters for doors, windows and clerestory windows,	1.672	Sqm.	

	T T			
	including ISi marked M.S. pressed butthinges bright			
	finished of required size with necessary screws,			
	excluding panelling which will be paid for separately, all			
	complete as per direction of Engineer-in-charge.			
	(Note:- Butt hinges and necessary screws shall be paid			
	separately} Kiln seasoned and chemically treated			
	Hollock wood. 35 mm thick shutters (HSR- 12.7.2.1)			
27	Supply & fixing Windows frames (Chowkhats) including	4.57	Mtr.	
	mullions consisting frame fabricated from sheet roll			
	formed out of 1.2mm thick galvanized sheet as per			
	IS:277 (Base steel as per IS 513) with zinc of 120			
	gm/sqm & Powder coated with pure Polyester powder			
	up to 50 microns (as per approved colour), 3 Nos.			
	100mm butt - hinges 2mm thick, 6 Nos. 1.2mm thick			
	CRCA electroplated stiffner, 6 Nos. M.S hold fast with			
	split and tail welded to stiffner plate 200mm long,			
	receiver for aldrop, weld less corner assembly with			
	brackets & screws, M.S tie rod 50mm x 25mm to be			
	fixed at bottom finished with powder coated total			
	thickness of coating 0.6mm of approved shade, fixed in			
	position including the cost of cement concrete for 1			
	·			
	:2:4 for fixing lugs complete in all respects as per			
	drawing, design, specification & entire satisfaction of			
	Engineer-in-charge.Door Frame of size 80mm x 50mm			
	with 37mm wide single rebate metre for 35mm door			
	shutter (HSR-13.21.1)			

JE (Civil)



Bhagat Phool Singh Mahila Vishwavidyalaya Department of Engineering Cell

KhanpurKalan (Sonepat), Haryana-131305

Office No. 01263-283007,283530, Fax No. 01263-283779, www.bpswomenuniversity.ac.in

NOTICE INVITING TENDER

Sealed tenders as per schedule/DNIT attached are hereby Re-invited on behalf of Registrar in the office of Registrar at BPSMV Khanpur Kalan through Registered /speed post /by hand from the eligible contractor and L&C Societies for below mentioned work. If the date on which the tenders are to be received is declared holiday then the tender will be received on the next working day. The tender shall be opened on the same day in the presence of the tenderer or the authorized representative/agents who may like to be present at that time:-

Sr. No.	Name of Work	App. Cost. (In	Time Limit	Date & Receiving		Date & Time for opening of Tender	
		Thousand)			1		
				Date	Time	Date	Time
1.	Tender for repair of camp office and residence of Hon'ble Vice Chancellor at BPSMV Khanpur Kalan at B.P.S.M.V. Khanpur Kalan. (Reinvited)	1,79,000/-	One month	16.09.25	1:00 pm	16.09.25	3:00 pm

- 1. The rates of all HSR items should be quoted on single percentage rate basis and N.S. item on item rate basis.
- 2. The limited tender/quotation may be sent in favour of Registrar, BPSMV Khanpur Kalan, in sealed envelope through Registered Post/Speed Post with mentioning tender name in bold letter on the envelop.
- 3. Engineering –In-Charge is competent to increase/decrease the quantity of work.
- 4. Central/ State taxes will be deducted as applicable from time to time.
- 5. The supply shall be taken in the University as per specifications given in DNIT.
- 6. No extra payment will be done.

SDE (Civil)

Endst. No./ BPSMV /Engg./25/

Dated

A copy of the above is forwarded to the following for information and necessary action:-

1. Notice Board.

SDE (Civil)

DETAILED NOMINCLATURE.

NAME OF WORK:-Tender for repair of camp office and residence of Hon'ble Vice Chancellor at BPSMV Khanpur Kalan at B.P.S.M.V. Khanpur Kalan.

Approx. Cost : Rs. 1,79,000/-

<u>Date of Tender</u>: 16.09.2025

Sr. No.	Description of items	Qty.	Unit	Rate to be quoted by the agency in words and in figures, FOR including VAT & taxes.		
				In Figure	In Word	
1.	Providing laying 8mm thick wooden flooring skriting shade knowsess complete in all respects satisfaction of Engineering-In-Charge (N.S.)	46.64	Sqm.			
2.	Providing and fixing 6mm thick HPL sheet all necessary fitting etc. complete in all respect. (NS)	20.07	Sqm.			
3.	Providing and laying matt finished vitrified tile of size 100x100x16mm having water absorption less than 0.5% and conforming to IS: 15622 of approved make in all colours and shades in out door floors such as footpath, court yard multi models etc., laid on 20mm thick base of cement mortar 1:4 (1 cement: 4 coarse sand) in all shapes & patterns including grouting the joints with white cement mixed with matching pigments etc. complete as direction of Engineer-in-Charge. (HSR-10.105)	19.71	Sqm.			
4.	Diluting and injecting chemical emulsion for POSTCONSTRUCTIONAL anti-termite treatment (excluding the cost of chemical emulsion)Treatment of soil under existing floors using chemical emulsion @ one litre per hole, 300 mm apart including drilling 12 mm diameter holes and plugging with cement mortar 1:2 (1 cement: 2 Coarse sand) to match the existing floor: With Chlorpyriphos/Lindane E.C. 20% sqm with 1% concentration (HSR - 4.40.3.1)	62.01	Sqm.			